

Bibliography

- Adams D, Quail M, Cox T *et al.*, 2005. A genome-wide, end-sequenced 129Sv BAC library resource for targeting vector construction. *Genomics*, **86**(6):753. doi:10.1016/j.ygeno.2005.08.003.
- Adams DJ, Biggs PJ, Cox T *et al.*, 2004. Mutagenic insertion and chromosome engineering resource (MICER). *Nat Genet*, **36**(8):867–71. doi:10.1038/ng1388.
- Adams DJ and van der Weyden L, 2008. Contemporary approaches for modifying the mouse genome. *Physiol Genomics*, **34**(3):225–38. doi:10.1152/physiolgenomics.90242.2008.
- Agrawal A, Eastman QM and Schatz DG, 1998. Transposition mediated by RAG1 and RAG2 and its implications for the evolution of the immune system. *Nature*, **394**(6695):744–51. doi:10.1038/29457.
- Ahnesorg P, Smith P and Jackson SP, 2006. XLF interacts with the XRCC4-DNA ligase IV complex to promote DNA nonhomologous end-joining. *Cell*, **124**(2):301–13. doi:10.1016/j.cell.2005.12.031.
- Albert TJ, Molla MN, Muzny DM *et al.*, 2007. Direct selection of human genomic loci by microarray hybridization. *Nat Meth*, **4**(11):903–5. doi:10.1038/nmeth1111.
- Amé JC, Spenlehauer C and de Murcia G, 2004. The PARP superfamily. *BioEssays*, **26**(8):882–93. doi:10.1002/bies.20085.
- Andersen SL, Bergstralh DT, Kohl KP, LaRocque JR, Moore CB and Sekelsky J, 2009. Drosophila MUS312 and the vertebrate ortholog BTBD12 interact with DNA structure-specific endonucleases in DNA repair and recombination. *Molecular Cell*, **35**(1):128–35. doi:10.1016/j.molcel.2009.06.019.
- Bakkenist CJ and Kastan MB, 2003. DNA damage activates ATM through intermolecular autophosphorylation and dimer dissociation. *Nature*, **421**(6922):499–506. doi:10.1038/nature01368.
- Balciunas D, Wangenstein KJ, Wilber A *et al.*, 2006. Harnessing a high cargo-capacity transposon for genetic applications in vertebrates. *PLoS Genet*, **2**(11):e169. doi:10.1371/journal.pgen.0020169.
- Barash Y, Calarco JA, Gao W *et al.*, 2010. Deciphering the splicing code. *Nature*, **465**(7294):53–9. doi:10.1038/nature09000.
- Barrett MT, Scheffer A, Ben-Dor A *et al.*, 2004. Comparative genomic hybridization using oligonucleotide microarrays and total genomic DNA. *PNAS*, **101**(51):17,765–70. doi:10.1073/pnas.0407979101.
- Beddington RS and Robertson EJ, 1989. An assessment of the developmental potential of embryonic stem cells in the midgestation mouse embryo. *Development*, **105**(4):733–7.
- Bennardo N, Gunn A, Cheng A, Hasty P and Stark JM, 2009. Limiting the persistence of a chromosome break diminishes its mutagenic potential. *PLoS Genet*, **5**(10):e1000683. doi:10.1371/journal.pgen.1000683.
- Bennett CB, Lewis AL, Baldwin KK and Resnick MA, 1993. Lethality induced by a single site-specific double-strand break in a dispensable yeast plasmid. *PNAS*, **90**(12):5613–7.
- Beumer KJ, Pimpinelli S and Golic KG, 1998. Induced chromosomal exchange directs the segregation of recombinant chromatids in mitosis of Drosophila. *Genetics*, **150**(1):173–88.
- Bibikova M, Beumer K, Trautman JK and Carroll D, 2003. Enhancing gene targeting with designed zinc finger nucleases. *Science*, **300**(5620):764. doi:10.1126/science.1079512.
- Blackburn EH, 1991. Structure and function of telomeres. *Nature*, **350**(6319):569–73. doi:10.1038/350569a0.
- Blais V, Gao H, Elwell CA *et al.*, 2004. RNA interference inhibition of Mus81 reduces mitotic recombination in human cells. *Molecular Biology of the Cell*, **15**(2):552–62. doi:10.1091/mbc.E03-08-0580.
- Bloom D, 1966. The syndrome of congenital telangiectatic erythema and stunted growth. *J Pediatr*, **68**(1):103–13.
- Blunt T, Finnie NJ, Taccioli GE *et al.*, 1995. Defective DNA-dependent protein kinase activity is linked to V(D)J recombination and DNA repair defects associated with the murine scid mutation. *Cell*, **80**(5):813–23.
- Blunt T, Gell D, Fox M *et al.*, 1996. Identification of a nonsense mutation in the carboxyl-terminal region of DNA-dependent protein kinase catalytic subunit in the scid mouse. *PNAS*, **93**(19):10,285–90.
- Borovinskaya MA, Pai RD, Zhang W *et al.*, 2007. Structural basis for aminoglycoside inhibition of bacterial ribosome recycling. *Nature Structural & Molecular Biology*, **14**(8):727–32. doi:10.1038/nsmb1271.
- Bouwman P, Aly A, Escandell JM *et al.*, 2010. 53BP1 loss rescues BRCA1 deficiency and is associated with triple-negative and BRCA-mutated breast cancers. *Nature Structural & Molecular Biology*. doi:10.1038/nsmb.1831.
- Bradley A, Evans M, Kaufman MH and Robertson E, 1984. Formation of germ-line chimaeras from embryo-derived teratocarcinoma cell lines. *Nature*, **309**(5965):255–6.
- Brass AL, Dykxhoorn DM, Benita Y *et al.*, 2008. Identification of host proteins required for HIV infection through a functional genomic screen. *Science*, **319**(5865):921–6. doi:10.1126/science.1152725.
- Brunet E, Simsek D, Tomishima M *et al.*, 2009. Chromosomal translocations induced at specified loci in human stem cells. *PNAS*, **106**(26):10,620–5. doi:10.1073/pnas.0902076106.

- Bryans M, Valenzano MC and Stamato TD, 1999. Absence of DNA ligase IV protein in XR-1 cells: evidence for stabilization by XRCC4. *Mutat Res*, **433**(1):53–8.
- Buck D, Malivert L, de Chasseval R *et al.*, 2006. Cernunos, a novel nonhomologous end-joining factor, is mutated in human immunodeficiency with microcephaly. *Cell*, **124**(2):287–99. doi:10.1016/j.cell.2005.12.030.
- Bugreev DV, Yu X, Egelman EH and Mazin AV, 2007. Novel pro- and anti-recombination activities of the Bloom's syndrome helicase. *Genes Dev*, **21**(23):3085–94. doi:10.1101/gad.1609007.
- Bultman SJ, Michaud EJ and Woychik RP, 1992. Molecular characterization of the mouse agouti locus. *Cell*, **71**(7):1195–204.
- Burdon T, Smith A and Savatier P, 2002. Signalling, cell cycle and pluripotency in embryonic stem cells. *Trends in Cell Biology*, **12**(9):432–8.
- Busch DB, Cleaver JE and Glaser DA, 1980. Large-scale isolation of UV-sensitive clones of CHO cells. *Somatic Cell Genet*, **6**(3):407–18.
- Bushman FD, Malani N, Fernandes J *et al.*, 2009. Host cell factors in HIV replication: meta-analysis of genome-wide studies. *PLoS Pathogens*, **5**(5):e1000437. doi:10.1371/journal.ppat.1000437.
- Cadiñanos J and Bradley A, 2007. Generation of an inducible and optimized piggyBac transposon system. *Nucleic Acids Research*, **35**(12):e87. doi:10.1093/nar/gkm446.
- Cai WW, Mao JH, Chow CW, Damani S, Balmain A and Bradley A, 2002. Genome-wide detection of chromosomal imbalances in tumors using BAC microarrays. *Nat Biotechnol*, **20**(4):393–6. doi:10.1038/nbt0402-393.
- Carette JE, Guimaraes CP, Varadarajan M *et al.*, 2009. Haploid genetic screens in human cells identify host factors used by pathogens. *Science*, **326**(5957):1231–5. doi:10.1126/science.1178955.
- Carter MS, Li S and Wilkinson MF, 1996. A splicing-dependent regulatory mechanism that detects translation signals. *EMBO J*, **15**(21):5965–75.
- Cervantes RB, Stringer JR, Shao C, Tischfield JA and Stambrook PJ, 2002. Embryonic stem cells and somatic cells differ in mutation frequency and type. *PNAS*, **99**(6):3586–90. doi:10.1073/pnas.062527199.
- Chaganti RS, Schonberg S and German J, 1974. A many-fold increase in sister chromatid exchanges in Bloom's syndrome lymphocytes. *PNAS*, **71**(11):4508–12.
- Chambers I, Colby D, Robertson M *et al.*, 2003. Functional expression cloning of Nanog, a pluripotency sustaining factor in embryonic stem cells. *Cell*, **113**(5):643–55.
- Chan KL, North P and Hickson I, 2007. BLM is required for faithful chromosome segregation and its localization defines a class of ultrafine anaphase bridges. *EMBO Journal*, **26**(14):3397–3409.
- Chan KL, Palmai-Pallag T, Ying S and Hickson ID, 2009. Replication stress induces sister-chromatid bridging at fragile site loci in mitosis. *Nature Cell Biology*, **11**(6):753–60. doi:10.1038/ncb1882.
- Cheng J, Kapranov P, Drenkow J *et al.*, 2005. Transcriptional maps of 10 human chromosomes at 5-nucleotide resolution. *Science*, **308**(5725):1149–54. doi:10.1126/science.1108625.
- Chester N, Kuo F, Kozak C, O'Hara CD and Leder P, 1998. Stage-specific apoptosis, developmental delay, and embryonic lethality in mice homozygous for a targeted disruption in the murine Bloom's syndrome gene. *Genes Dev*, **12**(21):3382–93.
- Churchill GA, Airey DC, Allayee H *et al.*, 2004. The Collaborative Cross, a community resource for the genetic analysis of complex traits. *Nat Genet*, **36**(11):1133–7. doi:10.1038/ng1104-1133.
- Collier LS, Carlson CM, Ravimohan S, Dupuy AJ and Largaespada DA, 2005. Cancer gene discovery in solid tumours using transposon-based somatic mutagenesis in the mouse. *Nature*, **436**(7048):272–6. doi:10.1038/nature03681.
- Constantinou A, Chen XB, McGowan CH and West SC, 2002. Holliday junction resolution in human cells: two junction endonucleases with distinct substrate specificities. *The EMBO Journal*, **21**(20):5577–85.
- Coufal NG, Garcia-Perez JL, Peng GE *et al.*, 2009. L1 retrotransposition in human neural progenitor cells. *Nature*, **460**(7259):1127–1131. doi:10.1038/nature08248.
- Counter CM, Avilion AA, LeFeuvre CE *et al.*, 1992. Telomere shortening associated with chromosome instability is arrested in immortal cells which express telomerase activity. *The EMBO Journal*, **11**(5):1921–9.
- Cuénot L, 1902. La loi de Mendel et l'hérédité de la pigmentation chez les souris. *Arch Zoo Exp Gen*, **4**:33–38.
- Cuénot L, 1903. L'Hérédité de la pigmentation chez les souris, 2me note. *Arch Zoo Exp Gen*, **4**:33–38.
- Dalgliesh GL, Furge K, Greenman C *et al.*, 2010. Systematic sequencing of renal carcinoma reveals inactivation of histone modifying genes. *Nature*, **463**(7279):360–3. doi:10.1038/nature08672.
- Dannenberg JH, van Rossum A, Schuijff L and te Riele H, 2000. Ablation of the retinoblastoma gene family deregulates G(1) control causing immortalization and increased cell turnover under growth-restricting conditions. *Genes Dev*, **14**(23):3051–64.
- de Wind N, Dekker M, Berns A, Radman M and Riele HT, 1995. Inactivation of the mouse Msh2 gene results in mismatch repair deficiency, methylation tolerance, hyperrecombination, and predisposition to cancer. *Cell*, **82**(2):321–30.
- Deans AJ and West SC, 2009. FANCM connects the genome instability disorders Bloom's Syndrome and Fanconi Anemia. *Molecular Cell*, **36**(6):943–53. doi:10.1016/j.molcel.2009.12.006.
- Devon RS, Porteous DJ and Brookes AJ, 1995. Splinkerettes—improved vectorettes for greater efficiency in PCR walking. *Nucleic Acids Research*, **23**(9):1644–5.
- DiBiase SJ, Zeng ZC, Chen R, Hyslop T, Curran WJ and Iliakis G, 2000. DNA-dependent protein kinase stimulates an independently active, nonhomologous, end-joining apparatus. *Cancer Res*, **60**(5):1245–53.

- Dietrich W, Katz H, Lincoln SE *et al.*, 1992. A genetic map of the mouse suitable for typing intraspecific crosses. *Genetics*, **131**(2):423–47.
- Ding S, Wu X, Li G, Han M, Zhuang Y and Xu T, 2005. Efficient transposition of the piggyBac (PB) transposon in mammalian cells and mice. *Cell*, **122**(3):473–83. doi:10.1016/j.cell.2005.07.013.
- Doetschman T, Gregg RG, Maeda N *et al.*, 1987. Targeted correction of a mutant HPRT gene in mouse embryonic stem cells. *Nature*, **330**(6148):576–8. doi:10.1038/330576a0.
- Down TA and Hubbard TJP, 2005. NestedMICA: sensitive inference of over-represented motifs in nucleic acid sequence. *Nucleic Acids Research*, **33**(5):1445–53. doi:10.1093/nar/gki282.
- Dudley DD, Chaudhuri J, Bassing CH and Alt FW, 2005. Mechanism and control of V(D)J recombination versus class switch recombination: similarities and differences. *Adv Immunol*, **86**:43–112. doi:10.1016/S0065-2776(04)86002-4.
- Duerr RH, Taylor KD, Brant SR *et al.*, 2006. A genome-wide association study identifies IL23R as an inflammatory bowel disease gene. *Science*, **314**(5804):1461–3. doi:10.1126/science.1135245.
- Dupuy AJ, Akagi K, Largaespada DA, Copeland NG and Jenkins NA, 2005. Mammalian mutagenesis using a highly mobile somatic Sleeping Beauty transposon system. *Nature*, **436**(7048):221–6. doi:10.1038/nature03691.
- Dupuy AJ, Fritz S and Largaespada DA, 2001. Transposition and gene disruption in the male germline of the mouse. *genesis*, **30**(2):82–8.
- Elbashir SM, Harborth J, Lendeckel W, Yalcin A, Weber K and Tuschl T, 2001. Duplexes of 21-nucleotide RNAs mediate RNA interference in cultured mammalian cells. *Nature*, **411**(6836):494–8. doi:10.1038/35078107.
- Ellis NA, Groden J, Ye TZ *et al.*, 1995a. The Bloom's syndrome gene product is homologous to RecQ helicases. *Cell*, **83**(4):655–66.
- Ellis NA, Lennon DJ, Proytcheva M, Alhadeff B, Henderson EE and German J, 1995b. Somatic intragenic recombination within the mutated locus BLM can correct the high sister-chromatid exchange phenotype of Bloom syndrome cells. *Am J Hum Genet*, **57**(5):1019–27.
- Essers J, Hendriks RW, Swagemakers SM *et al.*, 1997. Disruption of mouse RAD54 reduces ionizing radiation resistance and homologous recombination. *Cell*, **89**(2):195–204.
- Evans MJ and Kaufman MH, 1981. Establishment in culture of pluripotent cells from mouse embryos. *Nature*, **292**(5819):154–6.
- Farmer H, McCabe N, Lord C *et al.*, 2005. Targeting the DNA repair defect in BRCA mutant cells as a therapeutic strategy. *Nature*, **434**(7035):917–921. doi:10.1038/nature03445.
- Fekairi S, Scaglione S, Chahwan C *et al.*, 2009. Human SLX4 Is a Holliday Junction Resolvase Subunit that Binds Multiple DNA Repair/Recombination Endonucleases. *Cell*, **138**(1):78–89. doi:10.1016/j.cell.2009.06.029.
- Filippo JS, Sung P and Klein H, 2008. Mechanism of eukaryotic homologous recombination. *Annual review of biochemistry*, **77**:229–57. doi:10.1146/annurev.biochem.77.061306.125255.
- Fire A, Xu S, Montgomery MK, Kostas SA, Driver SE and Mello CC, 1998. Potent and specific genetic interference by double-stranded RNA in *Caenorhabditis elegans*. *Nature*, **391**(6669):806–11. doi:10.1038/35888.
- Fischer SE, Wienholds E and Plasterk RH, 2001. Regulated transposition of a fish transposon in the mouse germ line. *PNAS*, **98**(12):6759–64. doi:10.1073/pnas.121569298.
- Flicek P, Aken BL, Ballester B *et al.*, 2010. Ensembl's 10th year. *Nucleic Acids Research*, **38**(Database issue):D557–62. doi:10.1093/nar/gkp972.
- Forsyth NR, Wright WE and Shay JW, 2002. Telomerase and differentiation in multicellular organisms: turn it off, turn it on, and turn it off again. *Differentiation*, **69**(4-5):188–97. doi:10.1046/j.1432-0436.2002.690412.x.
- Frank KM, Sekiguchi JM, Seidl KJ *et al.*, 1998. Late embryonic lethality and impaired V(D)J recombination in mice lacking DNA ligase IV. *Nature*, **396**(6707):173–7. doi:10.1038/24172.
- Frank KM, Sharpless NE, Gao Y *et al.*, 2000. DNA ligase IV deficiency in mice leads to defective neurogenesis and embryonic lethality via the p53 pathway. *Molecular Cell*, **5**(6):993–1002.
- Fraser AG, Kamath RS, Zipperlen P, Martinez-Campos M, Sohrmann M and Ahringer J, 2000. Functional genomic analysis of *C. elegans* chromosome I by systematic RNA interference. *Nature*, **408**(6810):325–30. doi:10.1038/35042517.
- Fraser MJ, Ciszczon T, Elick T and Bauser C, 1996. Precise excision of TTAA-specific lepidopteran transposons piggyBac (IFP2) and tagalong (TFP3) from the baculovirus genome in cell lines from two species of Lepidoptera. *Insect Mol Biol*, **5**(2):141–51.
- Gangloff S, McDonald JP, Bendixen C, Arthur L and Rothstein R, 1994. The yeast type I topoisomerase Top3 interacts with Sgs1, a DNA helicase homolog: a potential eukaryotic reverse gyrase. *Molecular and Cellular Biology*, **14**(12):8391–8.
- Gao Y, Chaudhuri J, Zhu C, Davidson L, Weaver DT and Alt FW, 1998. A targeted DNA-PKcs-null mutation reveals DNA-PK-independent functions for KU in V(D)J recombination. *Immunity*, **9**(3):367–76.
- Gao Y, Ferguson DO, Xie W *et al.*, 2000. Interplay of p53 and DNA-repair protein XRCC4 in tumorigenesis, genomic stability and development. *Nature*, **404**(6780):897–900. doi:10.1038/35009138.
- Gardner PP, Daub J, Tate JG *et al.*, 2009. Rfam: updates to the RNA families database. *Nucleic Acids Research*, **37**(Database issue):D136–40. doi:10.1093/nar/gkn766.
- Gardner RL, 1968. Mouse chimeras obtained by the injection of cells into the blastocyst. *Nature*, **220**(5167):596–7.

- Geurts AM, Hackett CS, Bell JB *et al.*, 2006. Structure-based prediction of insertion-site preferences of transposons into chromosomes. *Nucleic Acids Research*, **34**(9):2803–11. doi:10.1093/nar/gkl301.
- Goff S, 2008. Knockdown screens to knockout HIV-1. *Cell*, **135**:417–420.
- Goodarzi AA, Noon AT, Deckbar D *et al.*, 2008. ATM signaling facilitates repair of DNA double-strand breaks associated with heterochromatin. *Molecular Cell*, **31**(2):167–77. doi:10.1016/j.molcel.2008.05.017.
- Goss KH, Risinger MA, Kordich JJ *et al.*, 2002. Enhanced tumor formation in mice heterozygous for Blm mutation. *Science*, **297**(5589):2051–3. doi:10.1126/science.1074340.
- Gossler A, Joyner AL, Rossant J and Skarnes WC, 1989. Mouse embryonic stem cells and reporter constructs to detect developmentally regulated genes. *Science*, **244**(4903):463–5.
- Gottlieb TM and Jackson SP, 1993. The DNA-dependent protein kinase: requirement for DNA ends and association with Ku antigen. *Cell*, **72**(1):131–42.
- Gravel S, Chapman JR, Magill C and Jackson SP, 2008. DNA helicases Sgs1 and BLM promote DNA double-strand break resection. *Genes Dev*, **22**(20):2767–72. doi:10.1101/gad.503108.
- Grawunder U, Wilm M, Wu X *et al.*, 1997. Activity of DNA ligase IV stimulated by complex formation with XRCC4 protein in mammalian cells. *Nature*, **388**(6641):492–5. doi:10.1038/41358.
- Greenman C, Stephens P, Smith R *et al.*, 2007. Patterns of somatic mutation in human cancer genomes. *Nature*, **446**(7132):153–8. doi:10.1038/nature05610.
- Greider CW and Blackburn EH, 1987. The telomere terminal transferase of Tetrahymena is a ribonucleoprotein enzyme with two kinds of primer specificity. *Cell*, **51**(6):887–98.
- Grimm S, 2004. The art and design of genetic screens: mammalian culture cells. *Nat Rev Genet*, **5**(3):179–89. doi:10.1038/nrg1291.
- Gu Y, Jin S, Gao Y, Weaver DT and Alt FW, 1997a. Ku70-deficient embryonic stem cells have increased ionizing radiosensitivity, defective DNA end-binding activity, and inability to support V(D)J recombination. *PNAS*, **94**(15):8076–81.
- Gu Y, Seidl KJ, Rathbun GA *et al.*, 1997b. Growth retardation and leaky SCID phenotype of Ku70-deficient mice. *Immunity*, **7**(5):653–65.
- Guirouilh-Barbat J, Rass E, Plo I, Bertrand P and Lopez BS, 2007. Defects in XRCC4 and KU80 differentially affect the joining of distal nonhomologous ends. *PNAS*, **104**(52):20,902–7. doi:10.1073/pnas.0708541104.
- Guo G, 2004. Recessive genetic screen for mismatch repair components in BLM-deficient ES cells. Ph.D. thesis, Cambridge University.
URL <http://www.sanger.ac.uk/research/publications/theses.html>
- Guo G, Wang W and Bradley A, 2004. Mismatch repair genes identified using genetic screens in Blm-deficient embryonic stem cells. *Nature*, **429**(6994):891–5. doi:10.1038/nature02653.
- Gustincich S, Sandelin A, Plessy C *et al.*, 2006. The complexity of the mammalian transcriptome. *J Physiol (Lond)*, **575**(Pt 2):321–32. doi:10.1113/jphysiol.2006.115568.
- Haldane J, 1935. The Rate of Spontaneous Mutation of a Human Gene. *J Genet*, **31**:317–326.
- Hamilton AJ and Baulcombe DC, 1999. A species of small antisense RNA in posttranscriptional gene silencing in plants. *Science*, **286**(5441):950–2.
- Hanahan D and Weinberg RA, 2000. The hallmarks of cancer. *Cell*, **100**(1):57–70.
- Hansen G, Markesich D, Burnett M *et al.*, 2008. Large-scale gene trapping in C57BL/6N mouse embryonic stem cells. *Genome Research*, **18**(10):1670–1679. doi:10.1101/gr.078352.108.
- Hasty P, Ramírez-Solis R, Krumlauf R and Bradley A, 1991a. Introduction of a subtle mutation into the Hox-2.6 locus in embryonic stem cells. *Nature*, **350**(6315):243–6. doi:10.1038/350243a0.
- Hasty P, Rivera-Pérez J and Bradley A, 1991b. The length of homology required for gene targeting in embryonic stem cells. *Molecular and Cellular Biology*, **11**(11):5586–91.
- Hasty P, Rivera-Pérez J, Chang C and Bradley A, 1991c. Target frequency and integration pattern for insertion and replacement vectors in embryonic stem cells. *Molecular and Cellular Biology*, **11**(9):4509–17.
- Hayakawa T, Yusa K, Kouno M, Takeda J and Horie K, 2006. Bloom's syndrome gene-deficient phenotype in mouse primary cells induced by a modified tetracycline-controlled trans-silencer. *Gene*, **369**:80–9. doi:10.1016/j.gene.2005.10.041.
- Hickson ID, 2003. RecQ helicases: caretakers of the genome. *Nat Rev Cancer*, **3**(3):169–78. doi:10.1038/nrc1012.
- Holliday R and Ho T, 2002. DNA methylation and epigenetic inheritance. *Methods*, **27**(2):179–83.
- Horie K, Kuroiwa A, Ikawa M *et al.*, 2001. Efficient chromosomal transposition of a Tc1/mariner-like transposon Sleeping Beauty in mice. *PNAS*, **98**(16):9191–6. doi:10.1073/pnas.161071798.
- Hrabé de Angelis MH, Flaswinkel H, Fuchs H *et al.*, 2000. Genome-wide, large-scale production of mutant mice by ENU mutagenesis. *Nat Genet*, **25**(4):444–7. doi:10.1038/78146.
- Hu Y, Lu X, Barnes E, Yan M, Lou H and Luo G, 2005. Recql5 and Blm RecQ DNA helicases have nonredundant roles in suppressing crossovers. *Molecular and Cellular Biology*, **25**(9):3431–42. doi:10.1128/MCB.25.9.3431-3442.2005.
- Hu Y, Raynard S, Sehorn MG *et al.*, 2007. RECQL5/Recql5 helicase regulates homologous recombination and suppresses tumor formation via disruption of Rad51 presynaptic filaments. *Genes Dev*, **21**(23):3073–84. doi:10.1101/gad.1609107.

- Huang X, Guo H, Tammanna S *et al.*, 2010. Gene Transfer Efficiency and Genome-Wide Integration Profiling of Sleeping Beauty, Tol2, and PiggyBac Transposons in Human Primary T Cells. *Molecular Therapy*. doi:10.1038/mt.2010.141.
- International Mouse Knockout Consortium, Collins FS, Rossant J and Wurst W, 2007. A mouse for all reasons. *Cell*, **128**(1):9–13. doi:10.1016/j.cell.2006.12.018.
- Ip SCY, Rass U, Blanco MG, Flynn HR, Skehel JM and West SC, 2008. Identification of Holliday junction resolvases from humans and yeast. *Nature*, **456**(7220):357–61. doi:10.1038/nature07470.
- Ivics Z, Hackett PB, Plasterk RH and Izsvák Z, 1997. Molecular reconstruction of Sleeping Beauty, a Tc1-like transposon from fish, and its transposition in human cells. *Cell*, **91**(4):501–10.
- Izsvák Z, Stüwe EE, Fiedler D, Katzer A, Jeggo PA and Ivics Z, 2004. Healing the wounds inflicted by sleeping beauty transposition by double-strand break repair in mammalian somatic cells. *Molecular Cell*, **13**(2):279–90.
- Jackson AL, Bartz SR, Schelter J *et al.*, 2003. Expression profiling reveals off-target gene regulation by RNAi. *Nat Biotech*, **21**(6):635–7. doi:10.1038/nbt831.
- Jackson SP, 2002. Sensing and repairing DNA double-strand breaks. *Carcinogenesis*, **23**(5):687–96.
- Jackson SP, 2009. The DNA-damage response: new molecular insights and new approaches to cancer therapy. *Biochem Soc Trans*, **37**(Pt 3):483–94. doi:10.1042/BST0370483.
- Jeggo PA and Kemp LM, 1983. X-ray-sensitive mutants of Chinese hamster ovary cell line. Isolation and cross-sensitivity to other DNA-damaging agents. *Mutat Res*, **112**(6):313–27.
- Jenkins NA, Copeland NG, Taylor BA and Lee BK, 1981. Dilute (d) coat colour mutation of DBA/2J mice is associated with the site of integration of an ecotropic MuLV genome. *Nature*, **293**(5831):370–4.
- Johnson RD and Jasin M, 2000. Sister chromatid gene conversion is a prominent double-strand break repair pathway in mammalian cells. *EMBO J*, **19**(13):3398–407. doi:10.1093/emboj/19.13.3398.
- Johnson RS, Sheng M, Greenberg ME, Kolodner RD, Papaioannou VE and Spiegelman BM, 1989. Targeting of nonexpressed genes in embryonic stem cells via homologous recombination. *Science*, **245**(4923):1234–6.
- Jones ME, Thomas SM and Rogers A, 1994. Luria-Delbrück fluctuation experiments: design and analysis. *Genetics*, **136**(3):1209–16.
- Joyner AL, Skarnes WC and Rossant J, 1989. Production of a mutation in mouse En-2 gene by homologous recombination in embryonic stem cells. *Nature*, **338**(6211):153–6. doi:10.1038/338153a0.
- Kamath RS, Fraser AG, Dong Y *et al.*, 2003. Systematic functional analysis of the *Caenorhabditis elegans* genome using RNAi. *Nature*, **421**(6920):231–7. doi:10.1038/nature01278.
- Karow JK, Constantinou A, Li JL, West SC and Hickson ID, 2000. The Bloom's syndrome gene product promotes branch migration of holliday junctions. *PNAS*, **97**(12):6504–8. doi:10.1073/pnas.100448097.
- Kawakami K and Noda T, 2004. Transposition of the Tol2 element, an Ac-like element from the Japanese medaka fish *Oryzias latipes*, in mouse embryonic stem cells. *Genetics*, **166**(2):895–9.
- Keng VW, Ryan BJ, Wangenstein KJ *et al.*, 2009. Efficient transposition of Tol2 in the mouse germline. *Genetics*, **183**(4):1565–73. doi:10.1534/genetics.109.100768.
- Kile BT, Hentges KE, Clark AT *et al.*, 2003. Functional genetic analysis of mouse chromosome 11. *Nature*, **425**(6953):81–6. doi:10.1038/nature01865.
- Kile BT and Hilton DJ, 2005. The art and design of genetic screens: mouse. *Nat Rev Genet*, **6**(7):557–67. doi:10.1038/nrg1636.
- Kim YG, Cha J and Chandrasegaran S, 1996. Hybrid restriction enzymes: zinc finger fusions to Fok I cleavage domain. *PNAS*, **93**(3):1156–60.
- Koga A, Suzuki M, Inagaki H, Bessho Y and Hori H, 1996. Transposable element in fish. *Nature*, **383**(6595):30. doi:10.1038/383030a0.
- Koike H, Horie K, Fukuyama H, Kondoh G, Nagata S and Takeda J, 2002. Efficient biallelic mutagenesis with Cre/loxP-mediated inter-chromosomal recombination. *EMBO Reports*, **3**(5):433–7. doi:10.1093/embo-reports/kvf097.
- Kokubu C, Horie K, Abe K *et al.*, 2009. A transposon-based chromosomal engineering method to survey a large cis-regulatory landscape in mice. *Nat Genet*, **41**(8):946–952. doi:10.1038/ng.397.
- Kolas NK, Chapman JR, Nakada S *et al.*, 2007. Orchestration of the DNA-damage response by the RNF8 ubiquitin ligase. *Science*, **318**(5856):1637–40. doi:10.1126/science.1150034.
- Koller BH, Hagemann LJ, Doetschman T *et al.*, 1989. Germ-line transmission of a planned alteration made in a hypoxanthine phosphoribosyltransferase gene by homologous recombination in embryonic stem cells. *PNAS*, **86**(22):8927–31.
- Koller BH and Smithies O, 1989. Inactivating the beta 2-microglobulin locus in mouse embryonic stem cells by homologous recombination. *PNAS*, **86**(22):8932–5.
- Kong J, Wang F, Brenton JD and Adams DJ, 2010. Sling-shot: a PiggyBac based transposon system for tamoxifen-inducible 'self-inactivating' insertional mutagenesis. *Nucleic Acids Research*. doi:10.1093/nar/gkq658.
- Kong X, Mohanty SK, Stephens J *et al.*, 2009. Comparative analysis of different laser systems to study cellular responses to DNA damage in mammalian cells. *Nucleic Acids Research*, **37**(9):e68. doi:10.1093/nar/gkp221.
- König R, Zhou Y, Elleder D *et al.*, 2008. Global analysis of host-pathogen interactions that regulate early-stage HIV-1 replication. *Cell*, **135**(1):49–60. doi:10.1016/j.cell.2008.07.032.

- Korbel JO, Urban AE, Affourtit JP *et al.*, 2007. Paired-end mapping reveals extensive structural variation in the human genome. *Science*, **318**(5849):420–6. doi:10.1126/science.1149504.
- Krejci L, Komen SV, Li Y *et al.*, 2003. DNA helicase Srs2 disrupts the Rad51 presynaptic filament. *Nature*, **423**(6937):305–9. doi:10.1038/nature01577.
- Kuehn MR, Bradley A, Robertson EJ and Evans MJ, 1987. A potential animal model for Lesch-Nyhan syndrome through introduction of HPRT mutations into mice. *Nature*, **326**(6110):295–8. doi:10.1038/326295a0.
- Lander ES, Linton LM, Birren B *et al.*, 2001. Initial sequencing and analysis of the human genome. *Nature*, **409**(6822):860–921. doi:10.1038/35057062.
- Langridge GC, Phan MD, Turner DJ *et al.*, 2009. Simultaneous assay of every *Salmonella Typhi* gene using one million transposon mutants. *Genome Res*, **19**(12):2308–16. doi:10.1101/gr.097097.109.
- Lee EC, Yu D, de Velasco JM *et al.*, 2001. A highly efficient *Escherichia coli*-based chromosome engineering system adapted for recombinogenic targeting and subcloning of BAC DNA. *Genomics*, **73**(1):56–65. doi:10.1006/geno.2000.6451.
- Lee RC, Feinbaum RL and Ambros V, 1993. The *C. elegans* heterochronic gene *lin-4* encodes small RNAs with antisense complementarity to *lin-14*. *Cell*, **75**(5):843–54.
- Lee Y, Barnes DE, Lindahl T and McKinnon PJ, 2000. Defective neurogenesis resulting from DNA ligase IV deficiency requires *Atm*. *Genes Dev*, **14**(20):2576–80.
- Leeds P, Peltz SW, Jacobson A and Culbertson MR, 1991. The product of the yeast *UPF1* gene is required for rapid turnover of mRNAs containing a premature translational termination codon. *Genes Dev*, **5**(12A):2303–14.
- Lefebvre L, Dionne N, Karaskova J, Squire JA and Nagy A, 2001. Selection for transgene homozygosity in embryonic stem cells results in extensive loss of heterozygosity. *Nat Genet*, **27**(3):257–8. doi:10.1038/85808.
- Ley TJ, Mardis ER, Ding L *et al.*, 2008. DNA sequencing of a cytogenetically normal acute myeloid leukaemia genome. *Nature*, **456**(7218):66–72. doi:10.1038/nature07485.
- Li G, Alt FW, Cheng HL *et al.*, 2008. Lymphocyte-specific compensation for XLF/cernunnos end-joining functions in V(D)J recombination. *Molecular Cell*, **31**(5):631–40. doi:10.1016/j.molcel.2008.07.017.
- Li MA, 2010. A recessive genetic screen to discover components in the miRNA pathways using the piggyBac-mediated insertional mutagenesis in *Blm*-deficient mouse embryonic stem cells. Ph.D. thesis, Cambridge University. URL <http://www.sanger.ac.uk/research/publications/theses.html>
- Li MA, Pettitt SJ, Yusa K and Bradley A, 2010. Genome-Wide Forward Genetic Screens in Mouse ES Cells. *Methods Enzymol*, **477C**:217–242. doi:10.1016/S0076-6879(10)77012-9.
- Liang F, Han M and Jasin M, 1998. Homology-directed repair is a major double-strand break repair pathway in mammalian cells. *PNAS*, **95**(9):5172–7.
- Liang Q, Conte N, Skarnes W and Bradley A, 2008. Extensive genomic copy number variation in embryonic stem cells. *PNAS*, **105**(45):17,453. doi:10.1073/pnas.0805638105.
- Liang Q, Kong J, Stalker J and Bradley A, 2009. Chromosomal mobilization and reintegration of Sleeping Beauty and PiggyBac transposons. *genesis*, **47**(6):404–8. doi:10.1002/dvg.20508.
- Lin X, Morgan-Lappe S, Huang X *et al.*, 2007. 'Seed' analysis of off-target siRNAs reveals an essential role of Mcl-1 in resistance to the small-molecule Bcl-2/Bcl-XL inhibitor ABT-737. *Oncogene*, **26**(27):3972–9. doi:10.1038/sj.onc.1210166.
- Liu P, Jenkins NA and Copeland NG, 2002. Efficient Cre-loxP-induced mitotic recombination in mouse embryonic stem cells. *Nat Genet*, **30**(1):66–72. doi:10.1038/ng788.
- Liu P, Jenkins NA and Copeland NG, 2003. A highly efficient recombineering-based method for generating conditional knockout mutations. *Genome Research*, **13**(3):476–84. doi:10.1101/gr.749203.
- Liu X, Wu H, Loring J *et al.*, 1997. Trisomy eight in ES cells is a common potential problem in gene targeting and interferes with germ line transmission. *Dev Dyn*, **209**(1):85–91. doi:10.1002/(SICI)1097-0177(199705)209:1<85::AID-AJA8>3.0.CO;2-T.
- Luo G, Ivics Z, Izsvák Z and Bradley A, 1998. Chromosomal transposition of a Tc1/mariner-like element in mouse embryonic stem cells. *PNAS*, **95**(18):10,769–73.
- Luo G, Santoro IM, McDaniel LD *et al.*, 2000. Cancer predisposition caused by elevated mitotic recombination in Bloom mice. *Nat Genet*, **26**(4):424–9. doi:10.1038/82548.
- Lupski JR, Reid JG, Gonzaga-Jauregui C *et al.*, 2010. Whole-genome sequencing in a patient with Charcot-Marie-Tooth neuropathy. *N Engl J Med*, **362**(13):1181–91. doi:10.1056/NEJMoa0908094.
- Luria SE and Delbrück M, 1943. Mutations of Bacteria from Virus Sensitivity to Virus Resistance. *Genetics*, **28**(6):491–511.
- Maniatis T, Fritsch EF and Sambrook J, 1982. *Molecular Cloning, A Laboratory Manual*. Cold Spring Harbor Laboratory, Cold Spring Harbor, New York.
- Mankouri HW and Hickson ID, 2007. The RecQ helicase-topoisomerase III-Rmi1 complex: a DNA structure-specific 'dissolvasome'? *Trends Biochem Sci*, **32**(12):538–46. doi:10.1016/j.tibs.2007.09.009.
- Maquat LE, 2004. Nonsense-mediated mRNA decay: splicing, translation and mRNP dynamics. *Nat Rev Mol Cell Biol*, **5**(2):89–99. doi:10.1038/nrm1310.
- Maragathavally KJ, Kaminski JM and Coates CJ, 2006. Chimeric *Mos1* and piggyBac transposases result in site-directed integration. *FASEB J*, **20**(11):1880–2. doi:10.1096/fj.05-5485fje.
- Mátés L, Chuah MKL, Belay E *et al.*, 2009. Molecular evolution of a novel hyperactive Sleeping Beauty transposase enables robust stable gene transfer in vertebrates. *Nat Genet*, **41**(6):753–761. doi:10.1038/ng.343.

- Mattison J, van der Weyden L, Hubbard T and Adams DJ, 2009. Cancer gene discovery in mouse and man. *Biochim Biophys Acta*, **1796**(2):140–61. doi:10.1016/j.bbcan.2009.03.001.
- McDaniel LD, Chester N, Watson M, Borowsky AD, Leder P and Schultz RA, 2003. Chromosome instability and tumor predisposition inversely correlate with BLM protein levels. *DNA Repair*, **2**(12):1387–404.
- McMahon A and Bradley A, 1990. The Wnt-1 (int-1) proto-oncogene is required for development of a large region of the mouse brain. *Cell*, **62**(6):1073.
- Menzel S, Garner C, Gut I *et al.*, 2007. A QTL influencing F cell production maps to a gene encoding a zinc-finger protein on chromosome 2p15. *Nat Genet*, **39**(10):1197–9. doi:10.1038/ng2108.
- Mikkelsen TS, Ku M, Jaffe DB *et al.*, 2007. Genome-wide maps of chromatin state in pluripotent and lineage-committed cells. *Nature*, **448**(7153):553–60. doi:10.1038/nature06008.
- Mimori T, Hardin JA and Steitz JA, 1986. Characterization of the DNA-binding protein antigen Ku recognized by autoantibodies from patients with rheumatic disorders. *J Biol Chem*, **261**(5):2274–8.
- Mitra R, Fain-Thornton J and Craig NL, 2008. piggyBac can bypass DNA synthesis during cut and paste transposition. *EMBO J*, **27**(7):1097–1109. doi:10.1038/emboj.2008.41.
- Mortensen RM, Conner DA, Chao S, Geisterfer-Lowrance AA and Seidman JG, 1992. Production of homozygous mutant ES cells with a single targeting construct. *Molecular and Cellular Biology*, **12**(5):2391–5.
- Moser AR, Pitot HC and Dove WF, 1990. A dominant mutation that predisposes to multiple intestinal neoplasia in the mouse. *Science*, **247**(4940):322–4.
- Mouse Genome Sequencing Consortium, 2002. Initial sequencing and comparative analysis of the mouse genome. *Nature*, **420**(6915):520–562. doi:10.1038/nature01262.
- Moynahan ME and Jasin M, 1997. Loss of heterozygosity induced by a chromosomal double-strand break. *PNAS*, **94**(17):8988–93.
- Muller HJ, 1927. Artificial transmutation of the gene. *Science*, **66**(1699):84–7. doi:10.1126/science.66.1699.84.
- Muñoz IM, Hain K, Déclais AC *et al.*, 2009. Coordination of structure-specific nucleases by human SLX4/BTBD12 is required for DNA repair. *Molecular Cell*, **35**(1):116–27. doi:10.1016/j.molcel.2009.06.020.
- Murphy ED, 1966. Characteristic tumors. In EL Green, editor, *Biology of the Laboratory Mouse*, chapter 27. Dover Publications, Inc. (New York).
URL <http://www.informatics.jax.org/greenbook>
- Nagy A, Gócsa E, Diaz EM *et al.*, 1990. Embryonic stem cells alone are able to support fetal development in the mouse. *Development*, **110**(3):815–21.
- Nakayama H, Nakayama K, Nakayama R, Irino N, Nakayama Y and Hanawalt PC, 1984. Isolation and genetic characterization of a thymineless death-resistant mutant of *Escherichia coli* K12: identification of a new mutation (recQ1) that blocks the RecF recombination pathway. *Mol Gen Genet*, **195**(3):474–80.
- Nathans D, 1964. Puromycin inhibition of protein synthesis: Incorporation of puromycin into peptide chains. *PNAS*, **51**:585–92.
- Neilan EG and Barsh GS, 1999. Gene trap insertional mutagenesis in mice: new vectors and germ line mutations in two novel genes. *Transgenic Res*, **8**(6):451–8.
- Ng SB, Buckingham KJ, Lee C *et al.*, 2010. Exome sequencing identifies the cause of a mendelian disorder. *Nat Genet*, **42**(1):30–5. doi:10.1038/ng.499.
- Nimonkar AV, Ozsoy AZ, Genschel J, Modrich P and Kowalczykowski SC, 2008. Human exonuclease 1 and BLM helicase interact to resect DNA and initiate DNA repair. *PNAS*, **105**(44):16,906–11. doi:10.1073/pnas.0809380105.
- Ning Z, Cox AJ and Mullikin JC, 2001. SSAHA: a fast search method for large DNA databases. *Genome Res*, **11**(10):1725–9. doi:10.1101/gr.194201.
- Nishikawa SI, Nishikawa S, Hirashima M, Matsuyoshi N and Kodama H, 1998. Progressive lineage analysis by cell sorting and culture identifies FLK1+VE-cadherin+ cells at a diverging point of endothelial and hemopoietic lineages. *Development*, **125**(9):1747–57.
- Novina CD and Sharp PA, 2004. The RNAi revolution. *Nature*, **430**(6996):161–4. doi:10.1038/430161a.
- Nussenzweig A, Chen C, da Costa Soares V *et al.*, 1996. Requirement for Ku80 in growth and immunoglobulin V(D)J recombination. *Nature*, **382**(6591):551–5. doi:10.1038/382551a0.
- Nüsslein-Volhard C and Wieschaus E, 1980. Mutations affecting segment number and polarity in *Drosophila*. *Nature*, **287**(5785):795–801.
- Ooi SL, Shoemaker DD and Boeke JD, 2001. A DNA microarray-based genetic screen for nonhomologous end-joining mutants in *Saccharomyces cerevisiae*. *Science*, **294**(5551):2552–6. doi:10.1126/science.1065672.
- Orr-Weaver TL, Szostak JW and Rothstein RJ, 1981. Yeast transformation: a model system for the study of recombination. *PNAS*, **78**(10):6354–8.
- Peric-Hupkes D, Meuleman W, Pagie L *et al.*, 2010. Molecular maps of the reorganization of genome-nuclear lamina interactions during differentiation. *Molecular Cell*, **38**(4):603–13. doi:10.1016/j.molcel.2010.03.016.
- Pettitt SJ, Liang Q, Rairdan XY *et al.*, 2009. Agouti C57BL/6N embryonic stem cells for mouse genetic resources. *Nat Methods*, **6**(7):493–5. doi:10.1038/nmeth.1342.
- Pinkel D, Segraves R, Sudar D *et al.*, 1998. High resolution analysis of DNA copy number variation using comparative genomic hybridization to microarrays. *Nat Genet*, **20**(2):207–11. doi:10.1038/2524.

- Pinkel D, Thompson LH, Gray JW and Vanderlaan M, 1985. Measurement of sister chromatid exchanges at very low bromodeoxyuridine substitution levels using a monoclonal antibody in Chinese hamster ovary cells. *Cancer Research*, **45**(11 Pt 2):5795–8.
- Pleasance ED, Cheetham RK, Stephens PJ *et al.*, 2010a. A comprehensive catalogue of somatic mutations from a human cancer genome. *Nature*, **463**(7278):191–6. doi:10.1038/nature08658.
- Pleasance ED, Stephens PJ, O'Meara S *et al.*, 2010b. A small-cell lung cancer genome with complex signatures of tobacco exposure. *Nature*, **463**(7278):184–90. doi:10.1038/nature08629.
- Pollard SM, Benchoua A and Lowell S, 2006. Neural stem cells, neurons, and glia. *Methods Enzymol*, **418**:151–69. doi:10.1016/S0076-6879(06)18010-6.
- Porteus MH and Baltimore D, 2003. Chimeric nucleases stimulate gene targeting in human cells. *Science*, **300**(5620):763. doi:10.1126/science.1078395.
- Prosser HM, Rzadzinska AK, Steel KP and Bradley A, 2008. Mosaic complementation demonstrates a regulatory role for myosin VIIa in actin dynamics of stereocilia. *Molecular and Cellular Biology*, **28**(5):1702–12. doi:10.1128/MCB.01282-07.
- Puebla-Osorio N, Lacey DB, Alt FW and Zhu C, 2006. Early embryonic lethality due to targeted inactivation of DNA ligase III. *Molecular and Cellular Biology*, **26**(10):3935–41. doi:10.1128/MCB.26.10.3935-3941.2006.
- Quail MA, Kozarewa I, Smith F *et al.*, 2008. A large genome center's improvements to the Illumina sequencing system. *Nat Meth*, **5**(12):1005–10. doi:10.1038/nmeth.1270.
- Ramírez-Solis R, Davis AC and Bradley A, 1993. Gene targeting in embryonic stem cells. *Meth Enzymol*, **225**:855–78.
- Ramírez-Solis R, Liu P and Bradley A, 1995. Chromosome engineering in mice. *Nature*, **378**(6558):720–4. doi:10.1038/378720a0.
- Randall-Hazelbauer L and Schwartz M, 1973. Isolation of the bacteriophage lambda receptor from Escherichia coli. *J Bacteriol*, **116**(3):1436–46.
- Rastan S, Hough T, Kierman A *et al.*, 2004. Towards a mutant map of the mouse—new models of neurological, behavioural, deafness, bone, renal and blood disorders. *Genetica*, **122**(1):47–9.
- Rastan S and Robertson EJ, 1985. X-chromosome deletions in embryo-derived (EK) cell lines associated with lack of X-chromosome inactivation. *J Embryol Exp Morphol*, **90**:379–88.
- Raymond CS and Soriano P, 2007. High-efficiency FLP and PhiC31 site-specific recombination in mammalian cells. *PLoS ONE*, **2**(1):e162. doi:10.1371/journal.pone.0000162.
- Robertson E, Bradley A, Kuehn M and Evans M, 1986. Germ-line transmission of genes introduced into cultured pluripotent cells by retroviral vector. *Nature*, **323**(6087):445–8. doi:10.1038/323445a0.
- Rooney S, Alt FW, Lombard D *et al.*, 2003. Defective DNA repair and increased genomic instability in Artemis-deficient murine cells. *J Exp Med*, **197**(5):553–65.
- Roth DB, Porter TN and Wilson JH, 1985. Mechanisms of nonhomologous recombination in mammalian cells. *Molecular and Cellular Biology*, **5**(10):2599–607.
- Rothkamm K, Krüger I, Thompson LH and Löbrich M, 2003. Pathways of DNA double-strand break repair during the mammalian cell cycle. *Molecular and Cellular Biology*, **23**(16):5706–15.
- Rouet P, Smih F and Jasin M, 1994. Introduction of double-strand breaks into the genome of mouse cells by expression of a rare-cutting endonuclease. *Molecular and Cellular Biology*, **14**(12):8096–106.
- Rubin GM, Yandell MD, Wortman JR *et al.*, 2000. Comparative genomics of the eukaryotes. *Science*, **287**(5461):2204–15.
- Russell ES and Meier H, 1966. Constitutional diseases. In EL Green, editor, *Biology of the Laboratory Mouse*, chapter 29. Dover Publications, Inc. (New York). URL <http://www.informatics.jax.org/greenbook>
- Sage J, Mulligan GJ, Attardi LD *et al.*, 2000. Targeted disruption of the three Rb-related genes leads to loss of G(1) control and immortalization. *Genes Dev*, **14**(23):3037–50.
- Sakaue-Sawano A, Kurokawa H, Morimura T *et al.*, 2008. Visualizing spatiotemporal dynamics of multicellular cell-cycle progression. *Cell*, **132**(3):487–98. doi:10.1016/j.cell.2007.12.033.
- Sauer B and Henderson N, 1988. Site-specific DNA recombination in mammalian cells by the Cre recombinase of bacteriophage P1. *PNAS*, **85**(14):5166–70.
- Savatier P, Huang S, Szekely L, Wiman KG and Samarut J, 1994. Contrasting patterns of retinoblastoma protein expression in mouse embryonic stem cells and embryonic fibroblasts. *Oncogene*, **9**(3):809–18.
- Schaft J, Ashery-Padan R, van der Hoeven F, Gruss P and Stewart AF, 2001. Efficient FLP recombination in mouse ES cells and oocytes. *genesis*, **31**(1):6–10.
- Schwartzberg PL, Goff SP and Robertson EJ, 1989. Germ-line transmission of a c-abl mutation produced by targeted gene disruption in ES cells. *Science*, **246**(4931):799–803.
- Scully R, Chen J, Plug A *et al.*, 1997. Association of BRCA1 with Rad51 in mitotic and meiotic cells. *Cell*, **88**(2):265–75.
- Seibler J, Schübeler D, Fiering S, Groudine M and Bode J, 1998. DNA cassette exchange in ES cells mediated by FLP recombinase: an efficient strategy for repeated modification of tagged loci by marker-free constructs. *Biochemistry*, **37**(18):6229–34. doi:10.1021/bi980288t.
- Sharan SK, Morimatsu M, Albrecht U *et al.*, 1997. Embryonic lethality and radiation hypersensitivity mediated by Rad51 in mice lacking Brca2. *Nature*, **386**(6627):804–10. doi:10.1038/386804a0.

- Shawlot W, Deng JM, Fohn LE and Behringer RR, 1998. Restricted beta-galactosidase expression of a hygromycin-lacZ gene targeted to the beta-actin locus and embryonic lethality of beta-actin mutant mice. *Transgenic Res*, **7**(2):95–103.
- Sherr CJ and DePinho RA, 2000. Cellular senescence: mitotic clock or culture shock? *Cell*, **102**(4):407–10.
- Shigeoka T, Kawaichi M and Ishida Y, 2005. Suppression of nonsense-mediated mRNA decay permits unbiased gene trapping in mouse embryonic stem cells. *Nucleic Acids Res*, **33**(2):e20. doi:10.1093/nar/gni022.
- Shiloh Y, 2003. ATM and related protein kinases: safeguarding genome integrity. *Nat Rev Cancer*, **3**(3):155–68. doi:10.1038/nrc1011.
- Shimshek DR, Kim J, Hübner MR *et al.*, 2002. Codon-improved Cre recombinase (iCre) expression in the mouse. *genesis*, **32**(1):19–26.
- Silver LM, 1995. *Mouse Genetics—Concepts and Applications*. Oxford University Press.
- Siminovitch L, 1976. On the nature of heritable variation in cultured somatic cells. *Cell*, **7**(1):1–11.
- Singh NP, McCoy MT, Tice RR and Schneider EL, 1988. A simple technique for quantitation of low levels of DNA damage in individual cells. *Experimental Cell Research*, **175**(1):184–91.
- Singh TR, Ali AM, Busygina V *et al.*, 2008. BLAP18/RMI2, a novel OB-fold-containing protein, is an essential component of the Bloom helicase-double Holliday junction dissolution. *Genes Dev*, **22**(20):2856–68. doi:10.1101/gad.1725108.
- Sjöblom T, Jones S, Wood LD *et al.*, 2006. The consensus coding sequences of human breast and colorectal cancers. *Science*, **314**(5797):268–74. doi:10.1126/science.1133427.
- Skarnes WC, Auerbach BA and Joyner AL, 1992. A gene trap approach in mouse embryonic stem cells: the lacZ reported is activated by splicing, reflects endogenous gene expression, and is mutagenic in mice. *Genes Dev*, **6**(6):903–18.
- Skarnes WC, von Melchner H, Wurst W *et al.*, 2004. A public gene trap resource for mouse functional genomics. *Nat Genet*, **36**(6):543–4. doi:10.1038/ng0604-543.
- Smih F, Rouet P and Jasin M, 1995. Double-strand breaks at the target locus stimulate gene targeting in embryonic stem cells. *Nucleic Acids Research*, **23**(24):5012–9.
- Smithies O, Gregg RG, Boggs SS, Koralewski MA and Kucherlapati RS, 1985. Insertion of DNA sequences into the human chromosomal beta-globin locus by homologous recombination. *Nature*, **317**(6034):230–4.
- Smogorzewska A, Desetty R, Saito TT *et al.*, 2010. A genetic screen identifies FAN1, a Fanconi anemia-associated nuclease necessary for DNA interstrand crosslink repair. *Molecular Cell*, **39**(1):36–47. doi:10.1016/j.molcel.2010.06.023.
- Snell GD and Stimpfling JH, 1966. Genetics of tissue transplantation. In EL Green, editor, *Biology of the Laboratory Mouse*, chapter 24. Dover Publications, Inc. (New York). URL <http://www.informatics.jax.org/greenbook>
- Soriano P, Friedrich G and Lawinger P, 1991. Promoter interactions in retrovirus vectors introduced into fibroblasts and embryonic stem cells. *J Virol*, **65**(5):2314–9.
- Steighner RJ and Povirk LF, 1990. Bleomycin-induced DNA lesions at mutational hot spots: implications for the mechanism of double-strand cleavage. *PNAS*, **87**(21):8350–4.
- Sternberg N and Hamilton D, 1981. Bacteriophage P1 site-specific recombination. I. Recombination between loxP sites. *Journal of Molecular Biology*, **150**(4):467–86.
- Stevens LC and Little CC, 1954. Spontaneous Testicular Teratomas in an Inbred Strain of Mice. *PNAS*, **40**(11):1080–7.
- Su LK, Kinzler KW, Vogelstein B *et al.*, 1992. Multiple intestinal neoplasia caused by a mutation in the murine homolog of the APC gene. *Science*, **256**(5057):668–70.
- Su Q, Prosser HM, Campos LS *et al.*, 2008. A DNA transposon-based approach to validate oncogenic mutations in the mouse. *PNAS*, **105**(50):19,904–9. doi:10.1073/pnas.0807785105.
- Sudbery I, Enright AJ, Fraser AG and Dunham I, 2010. Systematic analysis of off-target effects in an RNAi screen reveals microRNAs affecting sensitivity to TRAIL-induced apoptosis. *BMC Genomics*, **11**:175. doi:10.1186/1471-2164-11-175.
- Sudbery I, Stalker J, Simpson JT *et al.*, 2009. Deep short-read sequencing of chromosome 17 from the mouse strains A/J and CAST/Ei identifies significant germline variation and candidate genes that regulate liver triglyceride levels. *Genome Biol*, **10**(10):R112. doi:10.1186/gb-2009-10-10-r112.
- Sun H, Karow JK, Hickson ID and Maizels N, 1998. The Bloom's syndrome helicase unwinds G4 DNA. *J Biol Chem*, **273**(42):27,587–92.
- Svendsen JM, Smogorzewska A, Sowa ME *et al.*, 2009. Mammalian BTBD12/SLX4 assembles a Holliday junction resolvase and is required for DNA repair. *Cell*, **138**(1):63–77. doi:10.1016/j.cell.2009.06.030.
- Taccioli GE, Amatuucci AG, Beamish HJ *et al.*, 1998. Targeted disruption of the catalytic subunit of the DNA-PK gene in mice confers severe combined immunodeficiency and radiosensitivity. *Immunity*, **9**(3):355–66.
- Takahashi K and Yamanaka S, 2006. Induction of pluripotent stem cells from mouse embryonic and adult fibroblast cultures by defined factors. *Cell*, **126**(4):663–76. doi:10.1016/j.cell.2006.07.024.
- te Riele H, Maandag ER and Berns A, 1992. Highly efficient gene targeting in embryonic stem cells through homologous recombination with isogenic DNA constructs. *PNAS*, **89**(11):5128–32.
- Thomas KR and Capecchi MR, 1987. Site-directed mutagenesis by gene targeting in mouse embryo-derived stem cells. *Cell*, **51**(3):503–12.
- Thomas KR, Folger KR and Capecchi MR, 1986. High frequency targeting of genes to specific sites in the mammalian genome. *Cell*, **44**(3):419–28.

- Thompson LH, 1998. Chinese hamster cells meet DNA repair: an entirely acceptable affair. *BioEssays*, **20**(7):589–97. doi:10.1002/(SICI)1521-1878(199807)20:7<589::AID-BIES11>3.0.CO;2-W.
- Thompson LH, Rubin JS, Cleaver JE, Whitmore GF and Brookman K, 1980. A screening method for isolating DNA repair-deficient mutants of CHO cells. *Somatic Cell Genet*, **6**(3):391–405.
- Thompson S, Clarke AR, Pow AM, Hooper ML and Melton DW, 1989. Germ line transmission and expression of a corrected HPRT gene produced by gene targeting in embryonic stem cells. *Cell*, **56**(2):313–21.
- Tjio J and Puck T, 1958. Genetics of somatic mammalian cells. II. Chromosomal constitution of cells in tissue culture. *The Journal of Experimental Medicine*, **108**(2):259–68.
- Trombly MI, Su H and Wang X, 2009. A genetic screen for components of the mammalian RNA interference pathway in Bloom-deficient mouse embryonic stem cells. *Nucleic Acids Research*, **37**(4):e34. doi:10.1093/nar/gkp019.
- Turner DJ, Keane TM, Sudbery I and Adams DJ, 2009. Next-generation sequencing of vertebrate experimental organisms. *Mamm Genome*, **20**(6):327–38. doi:10.1007/s00335-009-9187-4.
- Umez K, Nakayama K and Nakayama H, 1990. Escherichia coli RecQ protein is a DNA helicase. *PNAS*, **87**(14):5363–7.
- Vassiliou G, Rad R and Bradley A, 2010. The Use of DNA Transposons for Cancer Gene Discovery in Mice. *Methods Enzymol*, **477C**:91–106. doi:10.1016/S0076-6879(10)77006-3.
- Venter JC, Adams MD, Myers EW *et al.*, 2001. The sequence of the human genome. *Science*, **291**(5507):1304–51. doi:10.1126/science.1058040.
- Vitaterna MH, King DP, Chang AM *et al.*, 1994. Mutagenesis and mapping of a mouse gene, Clock, essential for circadian behavior. *Science*, **264**(5159):719–25.
- von Melchner H and Ruley HE, 1989. Identification of cellular promoters by using a retrovirus promoter trap. *J Virol*, **63**(8):3227–33.
- Vooijs M, Jonkers J and Berns A, 2001. A highly efficient ligand-regulated Cre recombinase mouse line shows that LoxP recombination is position dependent. *EMBO Reports*, **2**(4):292–7. doi:10.1093/embo-reports/kve064.
- Voss AK, Thomas T and Gruss P, 1998. Efficiency assessment of the gene trap approach. *Dev Dyn*, **212**(2):171–80. doi:10.1002/(SICI)1097-0177(199806)212:2<171::AID-AJA3>3.0.CO;2-E.
- Wang H, Rosidi B, Perrault R *et al.*, 2005. DNA ligase III as a candidate component of backup pathways of nonhomologous end joining. *Cancer Res*, **65**(10):4020–30. doi:10.1158/0008-5472.CAN-04-3055.
- Wang M, Wu W, Wu W *et al.*, 2006. PARP-1 and Ku compete for repair of DNA double strand breaks by distinct NHEJ pathways. *Nucleic Acids Research*, **34**(21):6170–82. doi:10.1093/nar/gkl840.
- Wang W and Bradley A, 2007. A recessive genetic screen for host factors required for retroviral infection in a library of insertionally mutated Blm-deficient embryonic stem cells. *Genome Biol*, **8**(4):R48. doi:10.1186/gb-2007-8-4-r48.
- Wang W, Bradley A and Huang Y, 2009. A piggyBac transposon-based genome-wide library of insertionally mutated Blm-deficient murine ES cells. *Genome Res*, **19**(4):667–73. doi:10.1101/gr.085621.108.
- Wang W, Lin C, Lu D *et al.*, 2008. Chromosomal transposition of PiggyBac in mouse embryonic stem cells. *PNAS*, **105**(27):9290–5. doi:10.1073/pnas.0801017105.
- Warming S, Costantino N, Court DL, Jenkins NA and Copeland NG, 2005. Simple and highly efficient BAC recombineering using galK selection. *Nucleic Acids Research*, **33**(4):e36. doi:10.1093/nar/gni035.
- Weinstock DM and Jasin M, 2006. Alternative pathways for the repair of RAG-induced DNA breaks. *Molecular and Cellular Biology*, **26**(1):131–9. doi:10.1128/MCB.26.1.131-139.2006.
- Wellcome Trust Case-Control Consortium, 2007. Genome-wide association study of 14,000 cases of seven common diseases and 3,000 shared controls. *Nature*, **447**(7145):661–78. doi:10.1038/nature05911.
- Wellcome Trust Case-Control Consortium, Craddock N, Hurles ME *et al.*, 2010. Genome-wide association study of CNVs in 16,000 cases of eight common diseases and 3,000 shared controls. *Nature*, **464**(7289):713–20. doi:10.1038/nature08979.
- Wilming LG, Gilbert JGR, Howe K, Trevanion S, Hubbard T and Harrow JL, 2008. The vertebrate genome annotation (Vega) database. *Nucleic Acids Research*, **36**(Database issue):D753–60. doi:10.1093/nar/gkm987.
- Wilson D and Thompson L, 2007. Molecular mechanisms of sister-chromatid exchange. *Mutation Research*, **616**(1-2):11–23.
- Winston WM, Molodowitch C and Hunter CP, 2002. Systemic RNAi in *C. elegans* requires the putative transmembrane protein SID-1. *Science*, **295**(5564):2456–9. doi:10.1126/science.1068836.
- Woltjen K, Michael IP, Mohseni P *et al.*, 2009. piggyBac transposition reprograms fibroblasts to induced pluripotent stem cells. *Nature*, **458**(7239):766–70. doi:10.1038/nature07863.
- Wood DK, Weingeist DM, Bhatia SN and Engelward BP, 2010. Single cell trapping and DNA damage analysis using microwell arrays. *PNAS*, **107**(22):10,008–13. doi:10.1073/pnas.1004056107.
- Wood LD, Parsons DW, Jones S *et al.*, 2007. The genomic landscapes of human breast and colorectal cancers. *Science*, **318**(5853):1108–13. doi:10.1126/science.1145720.
- Wu L, Davies SL, Levitt NC and Hickson ID, 2001. Potential role for the BLM helicase in recombinational repair via a conserved interaction with RAD51. *J Biol Chem*, **276**(22):19,375–81. doi:10.1074/jbc.M009471200.
- Wu L, Davies SL, North PS *et al.*, 2000. The Bloom's syndrome gene product interacts with topoisomerase III. *J Biol Chem*, **275**(13):9636–44.

- Wu L and Hickson ID, 2003. The Bloom's syndrome helicase suppresses crossing over during homologous recombination. *Nature*, **426**(6968):870–4. doi:10.1038/nature02253.
- Xiong Z, 2008. Genome-wide recessive screens for DNA mismatch repair genes in mouse ES cells. Ph.D. thesis, Cambridge University.
URL <http://www.sanger.ac.uk/research/publications/theses.html>
- Xu T and Rubin GM, 1993. Analysis of genetic mosaics in developing and adult *Drosophila* tissues. *Development*, **117**(4):1223–37.
- Xu X, D'Hoker J, Stangé G *et al.*, 2008. γ cells can be generated from endogenous progenitors in injured adult mouse pancreas. *Cell*, **132**(2):197–207.
- Xu Y and Baltimore D, 1996. Dual roles of ATM in the cellular response to radiation and in cell growth control. *Genes Dev*, **10**(19):2401–10.
- Xue Y, Wang Q, Long Q *et al.*, 2009. Human Y chromosome base-substitution mutation rate measured by direct sequencing in a deep-rooting pedigree. *Curr Biol*, **19**(17):1453–7. doi:10.1016/j.cub.2009.07.032.
- Yan CT, Boboila C, Souza EK *et al.*, 2007. IgH class switching and translocations use a robust non-classical end-joining pathway. *Nature*, **449**(7161):478–82. doi:10.1038/nature06020.
- Yi M, Hong N and Hong Y, 2009. Generation of medaka fish haploid embryonic stem cells. *Science*, **326**(5951):430–3. doi:10.1126/science.1175151.
- Yusa K, Rad R, Takeda J and Bradley A, 2009. Generation of transgene-free induced pluripotent mouse stem cells by the piggyBac transposon. *Nat Meth*, **6**(5):363–9. doi:10.1038/nmeth.1323.
- Yusa K, Takeda J and Horie K, 2004. Enhancement of Sleeping Beauty transposition by CpG methylation: possible role of heterochromatin formation. *Molecular and Cellular Biology*, **24**(9):4004–18.
- Zha S, Alt F, Cheng HL, Brush J and Li G, 2007. Defective DNA repair and increased genomic instability in Cernunnos-XLF-deficient murine ES cells. *PNAS*, **104**(11):4518–4523. doi:10.1073/pnas.0611734104.
- Zhang J, Sun X, Qian Y and Maquat LE, 1998. Intron function in the nonsense-mediated decay of beta-globin mRNA: indications that pre-mRNA splicing in the nucleus can influence mRNA translation in the cytoplasm. *RNA*, **4**(7):801–15.
- Zheng B, Larkin DW, Albrecht U *et al.*, 1999. The mPer2 gene encodes a functional component of the mammalian circadian clock. *Nature*, **400**(6740):169–73. doi:10.1038/22118.
- Zhou H, Xu M, Huang Q *et al.*, 2008. Genome-Scale RNAi Screen for Host Factors Required for HIV Replication. *Cell Host and Microbe*, **4**(5):495–504. doi:doi:10.1016/j.chom.2008.10.004.
- Zhu C, Bogue MA, Lim DS, Hasty P and Roth DB, 1996. Ku86-deficient mice exhibit severe combined immunodeficiency and defective processing of V(D)J recombination intermediates. *Cell*, **86**(3):379–89.
- Zou L and Elledge SJ, 2003. Sensing DNA damage through ATRIP recognition of RPA-ssDNA complexes. *Science*, **300**(5625):1542–8. doi:10.1126/science.1083430.