

## REFERENCES

1. Mantel PY, Hoang AN, Goldowitz I, Potashnikova D, Hamza B, Vorobjev I, Ghiran I, Toner M, Irimia D, Ivanov AR, et al: Malaria-infected erythrocyte-derived microvesicles mediate cellular communication within the parasite population and with the host immune system. *Cell Host Microbe* 2013, 13:521-534.
2. Regev-Rudzki N, Wilson DW, Carvalho TG, Sisquella X, Coleman BM, Rug M, Bursac D, Angrisano F, Gee M, Hill AF, et al: Cell-cell communication between malaria-infected red blood cells via exosome-like vesicles. *Cell* 2013, 153:1120-1133.
3. Abdi A, Yu L, Goulding D, Rono MK, Bejon P, Choudhary J, Rayner J: Proteomic analysis of extracellular vesicles from a Plasmodium falciparum Kenyan clinical isolate defines a core parasite secretome. *Wellcome Open Res* 2017, 2:50.
4. Mantel PY, Hjelmqvist D, Walch M, Kharoubi-Hess S, Nilsson S, Ravel D, Ribeiro M, Gruring C, Ma S, Padmanabhan P, et al: Infected erythrocyte-derived extracellular vesicles alter vascular function via regulatory Ago2-miRNA complexes in malaria. *Nat Commun* 2016, 7:12727.
5. Sampaio NG, Emery S, Garnham A, Tan QY, Sisquella X, Pimentel MA, Regev-Rudzki N, Schofield L, Eriksson EM: Extracellular vesicles from early-stage P. falciparum-infected red blood cells contain PfEMP1 and induce transcriptional changes in human monocytes. *Cellular Microbiology*:e12822-n/a.
6. Phillips MA, Burrows JN, Manyando C, van Huijsduijnen RH, Van Voorhis WC, Wells TNC: Malaria. 2017, 3:17050.
7. WHO: World Malaria Report. 2017:186.

8. Alao MJ, Gbadoe AD, Meremikwu M, Tshetu A, Tiono AB, Cousin M, Hamed K: *Plasmodium falciparum* malaria in infants under 5 kg: retrospective surveillance of hospital records in five sub-saharan African countries. *J Trop Pediatr* 2013, 59:154-159.
9. White MT, Verity R, Griffin JT, Asante KP, Owusu-Agyei S, Greenwood B, Drakeley C, Gesase S, Lusingu J, Ansong D, et al: Immunogenicity of the RTS,S/AS01 malaria vaccine and implications for duration of vaccine efficacy: secondary analysis of data from a phase 3 randomised controlled trial. *Lancet Infect Dis* 2015, 15:1450-1458.
10. Hill AV: Vaccines against malaria. *Philos Trans R Soc Lond B Biol Sci* 2011, 366:2806-2814.
11. Kazmin D, Nakaya HI, Lee EK, Johnson MJ, van der Most R, van den Berg RA, Ballou WR, Jongert E, Wille-Reece U, Ockenhouse C, et al: Systems analysis of protective immune responses to RTS,S malaria vaccination in humans. *Proc Natl Acad Sci U S A* 2017, 114:2425-2430.
12. Hott A, Tucker MS, Casandra D, Sparks K, Kyle DE: Fitness of artemisinin-resistant *Plasmodium falciparum* in vitro. *J Antimicrob Chemother* 2015, 70:2787-2796.
13. Arieu F, Witkowski B, Amaratunga C, Beghain J, Langlois AC, Khim N, Kim S, Duru V, Bouchier C, Ma L, et al: A molecular marker of artemisinin-resistant *Plasmodium falciparum* malaria. *Nature* 2014, 505:50-55.
14. Talundzic E, Okoth SA, Congpuong K, Plucinski MM, Morton L, Goldman IF, Kachur PS, Wongsrichanalai C, Satimai W, Barnwell JW, Udhayakumar V:

- Selection and spread of artemisinin-resistant alleles in Thailand prior to the global artemisinin resistance containment campaign. *PLoS Pathog* 2015, 11:e1004789.
15. Fairhurst RM: Understanding artemisinin-resistant malaria: what a difference a year makes. *Curr Opin Infect Dis* 2015, 28:417-425.
  16. Oddoux O, Debourgogne A, Kantele A, Kocken CH, Jokiranta TS, Vedy S, Puyhardy JM, Machouart M: Identification of the five human *Plasmodium* species including *P. knowlesi* by real-time polymerase chain reaction. *European Journal of Clinical Microbiology & Infectious Diseases* 2011, 30:597-601.
  17. Antinori S, Galimberti L, Milazzo L, Corbellino M: Biology of Human Malaria Plasmodia Including *Plasmodium Knowlesi*. *Mediterr J Hematol Infect Dis* 2012, 4.
  18. Snow RW: Global malaria eradication and the importance of *Plasmodium falciparum* epidemiology in Africa. *BMC Med* 2015, 13:23.
  19. Petersen E, Severini C, Picot S: *Plasmodium vivax* malaria: a re-emerging threat for temperate climate zones? *Travel Med Infect Dis* 2013, 11:51-59.
  20. Langhi DM, Jr., Bordin JO: Duffy blood group and malaria. *Hematology* 2006, 11:389-398.
  21. Young MD, Eyles DE, Burgess RW, Jeffery GM: Experimental testing of the immunity of Negroes to *Plasmodium vivax*. *J Parasitol* 1955, 41:315-318.
  22. Miller LH, Mason SJ, Clyde DF, McGinniss MH: The resistance factor to *Plasmodium vivax* in blacks. The Duffy-blood-group genotype, FyFy. *N Engl J Med* 1976, 295:302-304.

23. Gunalan K, Niangaly A, Thera MA, Doumbo OK, Miller LH: Plasmodium vivax Infections of Duffy-Negative Erythrocytes: Historically Undetected or a Recent Adaptation? *Trends Parasitol* 2018, 34:420-429.
24. Mueller I, Zimmerman PA, Reeder JC: Plasmodium malariae and Plasmodium ovale--the "bashful" malaria parasites. *Trends Parasitol* 2007, 23:278-283.
25. Doderer-Lang C, Atchade PS, Meckert L, Haar E, Perrotey S, Filisetti D, Aboubacar A, Pfaff AW, Brunet J, Chabi NW, et al: The ears of the African elephant: unexpected high seroprevalence of Plasmodium ovale and Plasmodium malariae in healthy populations in Western Africa. *Malar J* 2014, 13:240.
26. Sabbatani S, Fiorino S, Manfredi R: The emerging of the fifth malaria parasite (Plasmodium knowlesi): a public health concern? *Braz J Infect Dis* 2010, 14:299-309.
27. Kantele A, Jokiranta TS: Review of cases with the emerging fifth human malaria parasite, Plasmodium knowlesi. *Clin Infect Dis* 2011, 52:1356-1362.
28. Aly AS, Vaughan AM, Kappe SH: Malaria parasite development in the mosquito and infection of the mammalian host. *Annu Rev Microbiol* 2009, 63:195-221.
29. Yamauchi LM, Coppi A, Snounou G, Sinnis P: Plasmodium sporozoites trickle out of the injection site. *Cell Microbiol* 2007, 9:1215-1222.
30. Stanway RR, Mueller N, Zobiak B, Graewe S, Froehlke U, Zessin PJ, Aepfelbacher M, Heussler VT: Organelle segregation into Plasmodium liver stage merozoites. *Cell Microbiol* 2011, 13:1768-1782.

31. Sturm A, Amino R, van de Sand C, Regen T, Retzlaff S, Rennenberg A, Krueger A, Pollok JM, Menard R, Heussler VT: Manipulation of host hepatocytes by the malaria parasite for delivery into liver sinusoids. *Science* 2006, 313:1287-1290.
32. Sakaguchi M, Miyazaki N, Fujioka H, Kaneko O, Murata K: Three-dimensional analysis of morphological changes in the malaria parasite infected red blood cell by serial block-face scanning electron microscopy. *J Struct Biol* 2016, 193:162-171.
33. Wassmer SC, Taylor TE, Rathod PK, Mishra SK, Mohanty S, Arevalo-Herrera M, Duraisingh MT, Smith JD: Investigating the Pathogenesis of Severe Malaria: A Multidisciplinary and Cross-Geographical Approach. *Am J Trop Med Hyg* 2015, 93:42-56.
34. Alano P: Plasmodium falciparum gametocytes: still many secrets of a hidden life. *Mol Microbiol* 2007, 66:291-302.
35. Talman AM, Domarle O, McKenzie FE, Arieu F, Robert V: Gametocytogenesis : the puberty of Plasmodium falciparum. *Malaria Journal* 2004, 3:24.
36. Vlachou D, Schlegelmilch T, Runn E, Mendes A, Kafatos FC: The developmental migration of Plasmodium in mosquitoes. *Curr Opin Genet Dev* 2006, 16:384-391.
37. Lew VL: Malaria: endless fascination with merozoite release. *Curr Biol* 2005, 15:R760-761.
38. Bannister LH, Mitchell GH: The malaria merozoite, forty years on. *Parasitology* 2009, 136:1435-1444.

39. Divo AA, Geary TG, Jensen JB, Ginsburg H: The mitochondrion of *Plasmodium falciparum* visualized by rhodamine 123 fluorescence. *J Protozool* 1985, 32:442-446.
40. Bannister LH, Hopkins JM, Fowler RE, Krishna S, Mitchell GH: A Brief Illustrated Guide to the Ultrastructure of *Plasmodium falciparum* Asexual Blood Stages. *Parasitology Today* 2000, 16:427-433.
41. Kohler S, Delwiche CF, Denny PW, Tilney LG, Webster P, Wilson RJ, Palmer JD, Roos DS: A plastid of probable green algal origin in Apicomplexan parasites. *Science* 1997, 275:1485-1489.
42. Krungkrai J: The multiple roles of the mitochondrion of the malarial parasite. *Parasitology* 2004, 129:511-524.
43. Kono M, Heincke D, Wilcke L, Wong TW, Bruns C, Herrmann S, Spielmann T, Gilberger TW: Pellicle formation in the malaria parasite. *J Cell Sci* 2016, 129:673-680.
44. Morrisette NS, Sibley LD: Cytoskeleton of Apicomplexan Parasites. *Microbiol Mol Biol Rev* 2002, 66:21-38.
45. Bannister LH, Hopkins JM, Dluzewski AR, Margos G, Williams IT, Blackman MJ, Kocken CH, Thomas AW, Mitchell GH: *Plasmodium falciparum* apical membrane antigen 1 (PfAMA-1) is translocated within micronemes along subpellicular microtubules during merozoite development. *J Cell Sci* 2003, 116:3825-3834.
46. Counihan NA, Kalanon M, Coppel RL, de Koning-Ward TF: *Plasmodium* rhoptry proteins: why order is important. *Trends Parasitol* 2013, 29:228-236.

47. Zuccala ES, Gout AM, Dekiwadia C, Marapana DS, Angrisano F, Turnbull L, Riglar DT, Rogers KL, Whitchurch CB, Ralph SA, et al: Subcompartmentalisation of proteins in the rhoptries correlates with ordered events of erythrocyte invasion by the blood stage malaria parasite. *PLoS One* 2012, 7:e46160.
48. Mercier C, Adjogble KD, Daubener W, Delauw MF: Dense granules: are they key organelles to help understand the parasitophorous vacuole of all apicomplexa parasites? *Int J Parasitol* 2005, 35:829-849.
49. Culvenor JG, Day KP, Anders RF: Plasmodium falciparum ring-infected erythrocyte surface antigen is released from merozoite dense granules after erythrocyte invasion. *Infect Immun* 1991, 59:1183-1187.
50. Bannister LH, Hopkins JM, Fowler RE, Krishna S, Mitchell GH: A Brief Illustrated Guide to the Ultrastructure of *Plasmodium falciparum* Asexual Blood Stages. *Parasitology Today* 2000, 16:427-433.
51. Bossi D, Giardina B: Red cell physiology. *Mol Aspects Med* 1996, 17:117-128.
52. Moxon CA, Grau GE, Craig AG: Malaria: modification of the red blood cell and consequences in the human host. *Br J Haematol* 2011, 154:670-679.
53. Hosseini SM, Feng JJ: How malaria parasites reduce the deformability of infected red blood cells. *Biophys J* 2012, 103:1-10.
54. Ye T, Phan-Thien N, Khoo BC, Lim CT: Stretching and relaxation of malaria-infected red blood cells. *Biophys J* 2013, 105:1103-1109.

55. Sherling ES, van Ooij C: Host cell remodeling by pathogens: the exomembrane system in Plasmodium-infected erythrocytes. *FEMS Microbiol Rev* 2016, 40:701-721.
56. Behari R, Haldar K: Plasmodium falciparum: protein localization along a novel, lipid-rich tubovesicular membrane network in infected erythrocytes. *Exp Parasitol* 1994, 79:250-259.
57. Mundwiler-Pachlatko E, Beck HP: Maurer's clefts, the enigma of Plasmodium falciparum. *Proc Natl Acad Sci U S A* 2013, 110:19987-19994.
58. Spielmann T, Montagna GN, Hecht L, Matuschewski K: Molecular make-up of the Plasmodium parasitophorous vacuolar membrane. *International Journal of Medical Microbiology* 2012, 302:179-186.
59. Beck JR, Muralidharan V, Oksman A, Goldberg DE: PTEX component HSP101 mediates export of diverse malaria effectors into host erythrocytes. *Nature* 2014, 511:592-595.
60. Tribensky A, Graf AW, Diehl M, Fleck W, Przyborski JM: Trafficking of PfExp1 to the parasitophorous vacuolar membrane of Plasmodium falciparum is independent of protein folding and the PTEX translocon. *Cell Microbiol* 2017, 19.
61. Kalanon M, Bargieri D, Sturm A, Matthews K, Ghosh S, Goodman CD, Thiberge S, Mollard V, McFadden GI, Menard R, de Koning-Ward TF: The Plasmodium translocon of exported proteins component EXP2 is critical for establishing a patent malaria infection in mice. *Cell Microbiol* 2016, 18:399-412.
62. Spielmann T, Fergusen DJ, Beck HP: etramps, a new Plasmodium falciparum gene family coding for developmentally regulated and highly charged membrane



- proteins located at the parasite-host cell interface. *Mol Biol Cell* 2003, 14:1529-1544.
63. Richard D, Kats LM, Langer C, Black CG, Mitri K, Boddey JA, Cowman AF, Coppel RL: Identification of Rhoptry Trafficking Determinants and Evidence for a Novel Sorting Mechanism in the Malaria Parasite *Plasmodium falciparum*. *PLoS Pathogens* 2009, 5:e1000328.
  64. de Koning-Ward TF, Gilson PR, Boddey JA, Rug M, Smith BJ, Papenfuss AT, Sanders PR, Lundie RJ, Maier AG, Cowman AF, Crabb BS: A newly discovered protein export machine in malaria parasites. *Nature* 2009, 459:945.
  65. Bullen HE, Charnaud SC, Kalanon M, Riglar DT, Dekiwadia C, Kangwanrangsan N, Torii M, Tsuboi T, Baum J, Ralph SA, et al: Biosynthesis, localization, and macromolecular arrangement of the *Plasmodium falciparum* translocon of exported proteins (PTEX). *J Biol Chem* 2012, 287:7871-7884.
  66. Rudzinska MA, Trager W, Lewengrub SJ, Gubert E: An electron microscopic study of *Babesia microti* invading erythrocytes. *Cell Tissue Res* 1976, 169:323-334.
  67. Fawcett D, Musoke A, Voigt W: Interaction of sporozoites of *Theileria parva* with bovine lymphocytes in vitro. I. Early events after invasion. *Tissue Cell* 1984, 16:873-884.
  68. Lauer SA, Rathod PK, Ghori N, Haldar K: A membrane network for nutrient import in red cells infected with the malaria parasite. *Science* 1997, 276:1122-1125.

69. Haeggstrom M, A VONE, Kironde F, Fernandez V, Wahlgren M: Characterization of Maurer's clefts in Plasmodium falciparum-infected erythrocytes. *Am J Trop Med Hyg* 2007, 76:27-32.
70. McHugh E, Batinovic S, Hanssen E, McMillan PJ, Kenny S, Griffin MDW, Crawford S, Trenholme KR, Gardiner DL, Dixon MWA, Tilley L: A repeat sequence domain of the ring-exported protein-1 of Plasmodium falciparum controls export machinery architecture and virulence protein trafficking. *Mol Microbiol* 2015, 98:1101-1114.
71. Spycher C, Rug M, Pachlatko E, Hanssen E, Ferguson D, Cowman AF, Tilley L, Beck HP: The Maurer's cleft protein MAHRP1 is essential for trafficking of PfEMP1 to the surface of Plasmodium falciparum-infected erythrocytes. *Mol Microbiol* 2008, 68:1300-1314.
72. Cooke BM, Buckingham DW, Glenister FK, Fernandez KM, Bannister LH, Marti M, Mohandas N, Coppel RL: A Maurer's cleft-associated protein is essential for expression of the major malaria virulence antigen on the surface of infected red blood cells. *J Cell Biol* 2006, 172:899-908.
73. Bachmann A, Scholz JAM, Janßen M, Klinkert MQ, Tannich E, Bruchhaus I, Petter M: A comparative study of the localization and membrane topology of members of the RIFIN, STEVOR and PfMC-2TM protein families in Plasmodium falciparum-infected erythrocytes. *Malar J* 2015, 14.
74. Nilsson S, Angeletti D, Wahlgren M, Chen Q, Moll K: Plasmodium falciparum Antigen 332 Is a Resident Peripheral Membrane Protein of Maurer's Clefts. *PLoS One* 2012, 7.

75. Hodder AN, Maier AG, Rug M, Brown M, Hommel M, Pantic I, Puig-de-Morales-Marinkovic M, Smith B, Triglia T, Beeson J, Cowman AF: Analysis of structure and function of the giant protein Pf332 in *Plasmodium falciparum*. *Mol Microbiol* 2008, 71:48-65.
76. Rug M, Cyrklaff M, Mikkonen A, Lemgruber L, Kuelzer S, Sanchez CP, Thompson J, Hanssen E, O'Neill M, Langer C, et al: Export of virulence proteins by malaria-infected erythrocytes involves remodeling of host actin cytoskeleton. *Blood* 2014, 124:3459-3468.
77. Knuepfer E, Rug M, Klonis N, Tilley L, Cowman AF: Trafficking of the major virulence factor to the surface of transfected *P falciparum*-infected erythrocytes. *Blood* 2005, 105:4078-4087.
78. Knuepfer E, Rug M, Klonis N, Tilley L, Cowman AF: Trafficking determinants for PfEMP3 export and assembly under the *Plasmodium falciparum*-infected red blood cell membrane. *Mol Microbiol* 2005, 58:1039-1053.
79. Przyborski JM, Miller SK, Pfahler JM, Henrich PP, Rohrbach P, Crabb BS, Lanzer M: Trafficking of STEVOR to the Maurer's clefts in *Plasmodium falciparum*-infected erythrocytes. *The EMBO Journal* 2005, 24:2306-2317.
80. Hanssen E, Sougrat R, Frankland S, Deed S, Klonis N, Lippincott-Schwartz J, Tilley L: Electron tomography of the Maurer's cleft organelles of *Plasmodium falciparum*-infected erythrocytes reveals novel structural features. *Mol Microbiol* 2008, 67:703-718.
81. van der Pol E, Boing AN, Harrison P, Sturk A, Nieuwland R: Classification, functions, and clinical relevance of extracellular vesicles. *Pharmacol Rev* 2012, 64:676-705.

82. Chargaff E, West R: The biological significance of the thromboplastic protein of blood. *J Biol Chem* 1946, 166:189-197.
83. Wolf P: The nature and significance of platelet products in human plasma. *Br J Haematol* 1967, 13:269-288.
84. Dalton AJ: Microvesicles and vesicles of multivesicular bodies versus "virus-like" particles. *J Natl Cancer Inst* 1975, 54:1137-1148.
85. Johnstone RM, Adam M, Hammond JR, Orr L, Turbide C: Vesicle formation during reticulocyte maturation. Association of plasma membrane activities with released vesicles (exosomes). *J Biol Chem* 1987, 262:9412-9420.
86. Le Pecq JB: Dexosomes as a therapeutic cancer vaccine: from bench to bedside. *Blood Cells Mol Dis* 2005, 35:129-135.
87. Meehan B, Rak J, Di Vizio D: Oncosomes – large and small: what are they, where they came from? *J Extracell Vesicles* 2016, 5.
88. Stegmayr B, Ronquist G: Promotive effect on human sperm progressive motility by prostasomes. *Urol Res* 1982, 10:253-257.
89. Raposo G, Stoorvogel W: Extracellular vesicles: exosomes, microvesicles, and friends. *J Cell Biol* 2013, 200:373-383.
90. Gould SJ, Raposo G: As we wait: coping with an imperfect nomenclature for extracellular vesicles. *J Extracell Vesicles* 2013, 2.
91. Théry C, Ostrowski M, Segura E: Membrane vesicles as conveyors of immune responses. *Nature Reviews Immunology* 2009, 9:581.

92. Morel O, Jesel L, Freyssinet J-M, Toti F: Cellular Mechanisms Underlying the Formation of Circulating Microparticles. *Arteriosclerosis, Thrombosis, and Vascular Biology* 2011, 31:15-26.
93. Couper KN, Barnes T, Hafalla JC, Combes V, Ryffel B, Secher T, Grau GE, Riley EM, de Souza JB: Parasite-derived plasma microparticles contribute significantly to malaria infection-induced inflammation through potent macrophage stimulation. *PLoS Pathog* 2010, 6:e1000744.
94. Martin-Jaular L, Nakayasu ES, Ferrer M, Almeida IC, Del Portillo HA: Exosomes from *Plasmodium yoelii*-infected reticulocytes protect mice from lethal infections. *PLoS One* 2011, 6:e26588.
95. Nantakomol D, Dondorp AM, Krudsood S, Udomsangpetch R, Pattanapanyasat K, Combes V, Grau GE, White NJ, Viriyavejakul P, Day NP, Chotivanich K: Circulating red cell-derived microparticles in human malaria. *J Infect Dis* 2011, 203:700-706.
96. Bhat AA, Seth RK, Babu J, Biswas S, Rao DN: Induction of mucosal and systemic humoral immune responses in murine system by intranasal immunization with peptide antigens of *P. vivax* and CpG oligodeoxynucleotide (ODN) in microparticle delivery. *Int Immunopharmacol* 2009, 9:1197-1208.
97. Bhat AA, Seth RK, Kumar S, Ali R, Mohan T, Biswas S, Rao DN: Induction of cell-mediated immune responses to peptide antigens of *P. vivax* in microparticles using intranasal immunization. *Immunol Invest* 2010, 39:483-499.
98. Dinglasan RR, Armistead JS, Nyland JF, Jiang X, Mao HQ: Single-dose microparticle delivery of a malaria transmission-blocking vaccine elicits a long-lasting functional antibody response. *Curr Mol Med* 2013, 13:479-487.

99. Bai X, Findlow J, Borrow R: Recombinant protein meningococcal serogroup B vaccine combined with outer membrane vesicles. *Expert Opin Biol Ther* 2011, 11:969-985.
100. Martin NG, Snape MD: A multicomponent serogroup B meningococcal vaccine is licensed for use in Europe: what do we know, and what are we yet to learn? *Expert Rev Vaccines* 2013, 12:837-858.
101. Sisquella X, Ofir-Birin Y, Pimentel MA, Cheng L, Abou Karam P, Sampaio NG, Penington JS, Connolly D, Giladi T, Scicluna BJ, et al: Malaria parasite DNA-harboured vesicles activate cytosolic immune sensors. *Nature Communications* 2017, 8:1985.
102. Montes de Oca M, Kumar R, Rivera FL, Amante FH, Sheel M, Faleiro RJ, Bunn PT, Best SE, Beattie L, Ng SS, et al: Type I Interferons Regulate Immune Responses in Humans with Blood-Stage Plasmodium falciparum Infection. *Cell Rep* 2016, 17:399-412.
103. Babatunde KA, Walch M, Fellay I, Kharoubi-Hess S, Filgueira L, Ghiran I, Mantel P-Y: Malaria derived extracellular vesicles influence human neutrophils function. *The FASEB Journal* 2017, 31:391.392.
104. Scott JA, Berkley JA, Mwangi I, Ochola L, Uyoga S, Macharia A, Ndila C, Lowe BS, Mwarumba S, Bauni E, et al: Relation between falciparum malaria and bacteraemia in Kenyan children: a population-based, case-control study and a longitudinal study. *Lancet* 2011, 378:1316-1323.
105. Martin-Jaular L, de Menezes-Neto A, Monguio-Tortajada M, Elizalde-Torrent A, Diaz-Varela M, Fernandez-Becerra C, Borrás FE, Montoya M, Del Portillo HA: Spleen-Dependent Immune Protection Elicited by CpG Adjuvanted Reticulocyte-

- Derived Exosomes from Malaria Infection Is Associated with Changes in T cell Subsets' Distribution. *Front Cell Dev Biol* 2016, 4:131.
106. Rivkin A, Ben-Hur S, Regev-Rudzki N: Malaria Parasites Distribute Subversive Messages across Enemy Lines. *Trends in Parasitology*, 33:2-4.
  107. Gulati S, Ekland Eric H, Ruggles Kelly V, Chan Robin B, Jayabalasingham B, Zhou B, Mantel P-Y, Lee Marcus CS, Spottiswoode N, Coburn-Flynn O, et al: Profiling the Essential Nature of Lipid Metabolism in Asexual Blood and Gametocyte Stages of *Plasmodium falciparum*. *Cell Host & Microbe* 2015, 18:371-381.
  108. Maceyka M, Spiegel S: Sphingolipid metabolites in inflammatory disease. *Nature* 2014, 510:58.
  109. Inokuchi JI, Nagafuku M, Ohno I, Suzuki A: Distinct selectivity of gangliosides required for CD4<sup>+</sup> T and CD8<sup>+</sup> T cell activation. *Biochimica et Biophysica Acta - Molecular and Cell Biology of Lipids* 2015, 1851:98-106.
  110. Babatunde KA, Mbagwu S, Hernández-Castañeda MA, Adapa SR, Walch M, Filgueira L, Falquet L, Jiang RHY, Ghiran I, Mantel P-Y: Malaria infected red blood cells release small regulatory RNAs through extracellular vesicles. *Scientific Reports* 2018, 8:884.
  111. Ponts N, Chung D-WD, Le Roch KG: Strand-Specific RNA-seq Applied to Malaria Samples. In *RNA Abundance Analysis: Methods and Protocols*. Edited by Jin H, Gassmann W. Totowa, NJ: Humana Press; 2012: 59-73
  112. FastQC: a quality control tool for high throughput sequence data [<http://www.bioinformatics.babraham.ac.uk/projects/fastqc>]

113. Langmead B, Salzberg SL: Fast gapped-read alignment with Bowtie 2. *Nature Methods* 2012, 9:357.
114. Kim D, Langmead B, Salzberg SL: HISAT: a fast spliced aligner with low memory requirements. *Nature Methods* 2015, 12:357.
115. Logan-Klumpler FJ, De Silva N, Boehme U, Rogers MB, Velarde G, McQuillan JA, Carver T, Aslett M, Olsen C, Subramanian S, et al: GeneDB--an annotation database for pathogens. *Nucleic acids research* 2012, 40:D98-108.
116. López-Barragán MJ, Lemieux J, Quiñones M, Williamson KC, Molina-Cruz A, Cui K, Barillas-Mury C, Zhao K, Su X-z: Directional gene expression and antisense transcripts in sexual and asexual stages of *Plasmodium falciparum*. In *BMC genomics*, vol. 12. pp. 5872011:587.
117. Li H, Handsaker B, Wysoker A, Fennell T, Ruan J, Homer N, Marth G, Abecasis G, Durbin R: The Sequence Alignment/Map format and SAMtools. *Bioinformatics* 2009, 25:2078-2079.
118. Li B, Dewey CN: RSEM: accurate transcript quantification from RNA-Seq data with or without a reference genome. *BMC Bioinformatics* 2011, 12:323-323.
119. Wang L, Wang S, Li W: RSeQC: quality control of RNA-seq experiments. *Bioinformatics* 2012, 28:2184-2185.
120. Robinson JT, Thorvaldsdóttir H, Winckler W, Guttman M, Lander ES, Getz G, Mesirov JP: Integrative genomics viewer. *Nature Biotechnology* 2011, 29:24.
121. Pertea M, Pertea GM, Antonescu CM, Chang T-C, Mendell JT, Salzberg SL: StringTie enables improved reconstruction of a transcriptome from RNA-seq reads. *Nature Biotechnology* 2015, 33:290.



122. Yip SH WP, Kocher J, Sham PC, Wang J: Linnorm: Linear model and normality based transformation method (Linnorm). R package version 2.4.0, <http://www.jjwanglab.org/Linnorm/>. . 2018.
123. McCarthy DJ, Chen Y, Smyth GK: Differential expression analysis of multifactor RNA-Seq experiments with respect to biological variation. *Nucleic Acids Res* 2012, 40:4288-4297.
124. Ashburner M, Ball CA, Blake JA, Botstein D, Butler H, Cherry JM, Davis AP, Dolinski K, Dwight SS, Eppig JT, et al: Gene ontology: tool for the unification of biology. The Gene Ontology Consortium. *Nat Genet* 2000, 25:25-29.
125. Yu G, Wang L-G, Han Y, He Q-Y: clusterProfiler: an R Package for Comparing Biological Themes Among Gene Clusters. *OMICS: A Journal of Integrative Biology* 2012, 16:284-287.
126. M C: org.Pf.plasmo.db: Genome wide annotation for Malaria. R package version 3.6.0. . 2018.
127. Raposo G, Stoorvogel W: Extracellular vesicles: Exosomes, microvesicles, and friends. *The Journal of Cell Biology* 2013, 200:373-383.
128. Lässer C, Eldh M, Lötvall J: Isolation and Characterization of RNA-Containing Exosomes. *Journal of Visualized Experiments : JoVE* 2012:3037.
129. Valadi H, Ekstrom K, Bossios A, Sjostrand M, Lee JJ, Lotvall JO: Exosome-mediated transfer of mRNAs and microRNAs is a novel mechanism of genetic exchange between cells. *Nat Cell Biol* 2007, 9:654-659.

130. Autino B, Corbett Y, Castelli F, Taramelli D: Pathogenesis of Malaria in Tissues and Blood. *Mediterranean Journal of Hematology and Infectious Diseases* 2012, 4:e2012061.
131. Callebaut I, Prat K, Meurice E, Mornon J-P, Tomavo S: Prediction of the general transcription factors associated with RNA polymerase II in *Plasmodium falciparum*: conserved features and differences relative to other eukaryotes. *BMC Genomics* 2005, 6:100.
132. Mahboubi H, Seganathy E, Kong D, Stochaj U: Identification of Novel Stress Granule Components That Are Involved in Nuclear Transport. *PLOS ONE* 2013, 8:e68356.
133. Dzikowski R, Templeton TJ, Deitsch K: Variant antigen gene expression in malaria. *Cellular Microbiology* 2006, 8:1371-1381.
134. Silvestrini F, Lasonder E, Olivieri A, Camarda G, van Schaijk B, Sanchez M, Younis Younis S, Sauerwein R, Alano P: Protein Export Marks the Early Phase of Gametocytogenesis of the Human Malaria Parasite *Plasmodium falciparum*. *Molecular & Cellular Proteomics* 2010, 9:1437-1448.
135. Tibúrcio M, Dixon MWA, Looker O, Younis SY, Tilley L, Alano P: Specific expression and export of the *Plasmodium falciparum* Gametocyte EXported Protein-5 marks the gametocyte ring stage. *Malaria Journal* 2015, 14:334.
136. Ding S-l, Shen C-Y: Model of human aging: Recent findings on Werner's and Hutchinson-Gilford progeria syndromes. *Clinical Interventions in Aging* 2008, 3:431-444.

137. Guizetti J, Barcons-Simon A, Scherf A: Trans-acting GC-rich non-coding RNA at var expression site modulates gene counting in malaria parasite. *Nucleic Acids Research* 2016, 44:9710-9718.
138. Painter HJ, Campbell TL, Llinas M: The Apicomplexan AP2 family: integral factors regulating Plasmodium development. *Mol Biochem Parasitol* 2011, 176:1-7.
139. Kent RS, Modrzynska KK, Cameron R, Philip N, Billker O, Waters AP: Inducible developmental reprogramming redefines commitment to sexual development in the malaria parasite Plasmodium berghei. *Nature Microbiology* 2018.
140. Sinha A, Hughes KR, Modrzynska KK, Otto TD, Pfander C, Dickens NJ, Religa AA, Bushell E, Graham AL, Cameron R, et al: A cascade of DNA-binding proteins for sexual commitment and development in Plasmodium. *Nature* 2014, 507:253.
141. Shrestha S, Li X, Ning G, Miao J, Cui L: The RNA-binding protein Puf1 functions in the maintenance of gametocytes in *Plasmodium falciparum*. *Journal of Cell Science* 2016, 129:3144-3152.
142. McLean KJ, Jacobs-Lorena M: *Plasmodium falciparum* Maf1 Confers Survival upon Amino Acid Starvation. *mBio* 2017, 8.
143. Sampaio NG, Cheng L, Eriksson EM: The role of extracellular vesicles in malaria biology and pathogenesis. *Malar J* 2017, 16:245.